



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/761,976	01/21/2004	Yuan Kong	MS#304568.01 (5081)	4051
38779	7590	08/08/2006	EXAMINER	
SENNIGER POWERS (MSFT) ONE METROPOLITAN SQUARE, 16TH FLOOR ST. LOUIS, MO 63102			LIANG, REGINA	
			ART UNIT	PAPER NUMBER
			2629	

DATE MAILED: 08/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/761,976

Applicant(s)

KONG, YUAN

Examiner

Regina Liang

Art Unit

2629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-36 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-36 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date <u>4/21/04, 5/27/04, 1/26/06.</u> | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-11, 14, 15, 23-28, 33-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hinckley et al (US 2002/0067334 hereinafter Hinckley) in view of Van Schyndel et al (US 6,859,141 hereinafter Van Schyndel).

As to claim 27, Hinckley discloses a data input device comprising a proximity sensor for detecting changes in electric fields near the input device to determine when the user is proximate the device ([0054] and last four lines in [0055]). Hinckley does not disclose the proximity sensor comprising at least two electrodes, measuring an electrical impedance between the two electrodes and determining the relative distance between the input device and the tracking surface as a function of the measured impedance. However, Figs. 1, 3, 4, of Van Schyndel teaches a proximity sensor (10) comprising one transmitting electrode (12) and one receiving electrode (14), the sensor generates an electric field from the transmitting electrode 12 and detects the electric field at the receiving electrode. Van Schyndel also teaches the sensor having an effective sensing range, the sensor processes the signals when an object approaches to within the sensing range, when no object is present within the effective sensing range of the detector, no signal is processed (col. 6, lines 40 to col. 7, line 35). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the proximity sensor

Art Unit: 2629

including two electrodes as taught by Van Schyndel in the data input device of Hinckley so as to provide a transmit-receive type electric field proximity detector which permits objects to be reliably detected (col. 2, lines 26-28 of Van Schyndel). Thus, Hinckley as modified by Van Schyndel would determine the relative distance between the data input device and the tracking surface as a function of the measured impedance (the effective sensing range corresponds to the relative distance between the input device and the tracking surface (user), when the user is proximate the touch area within effective sensing range, the controller of Hinckley would process the touch signal, when the user is not proximate within the sensing range, no signal is inputted to the touch sensor).

As to claim 28, Van Schyndel teaches measuring an electrical capacitance between the two electrodes (col. 6, lines 40-42).

As to claims 1, 2, 33, 34, note the discussion of claim 27 above. The range within the effective sensing range of Van Schyndel corresponds to measurement zone. The user or the object is not presented within the sensing range corresponds to lift-off detection distance. Thus, the controller of Hinckley as modified by Van Schyndel would initiate a non-tracking mode in which the controller suspends tracking of relative movement when the input device is spatially separated from the tracking surface by at least the lift-off detection distance (when the user is proximate the touch area within effective sensing range, the controller processes the touch signal (tracking mode), the user is not proximate within the sensing range of the input device, no signal is detected by the sensor and not input is inputted to the touch sensor (non-tracking mode, or suspends tracking)).

As to claim 3, Hinckley as modified by Van Schyndel teaches the sensor is shaped and size to face the tracking surface when the input device is in the tracking mode (user is proximate the input device).

As to claim 4, Hinckley as modified by Van Schyndel would have the impedance sensor and the controller enclosed within a housing.

As to claim 5, Hinckley teaches the sensor is mounted on a surface of the housing. Thus, Hinckley as modified by Van Schyndel would having the sensor is shaped and sized to mount on the surface of the housing and shaped and size to engage the tracking surface.

As to claims 6, 35, Van Schyndel teaches the impedance sensor comprises at least two electrode (12, 14).

As to claims 7 and 8, Hinckley as modified by Van Schyndel does not disclose the sensor comprising at least four electrodes or at least six electrodes. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Hinckley as modified by Van Schyndel to have the number of electrodes as claimed, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

As to claim 9, Van Schyndel teaches the impedance sensor is a capacitance sensor (col. 6, lines 40-42).

As to claim 10, Figs. 2-4 of Van Schyndel teaches the two electrodes (12, 14) are adjacent one another and are substantially equidistant from one another.

As to claim 11, Fig. 2A of Van Schyndel teaches the first electrode comprises a circular conductor (212), a second electrode comprises a substantially annular conductor (214).

Art Unit: 2629

As to claim 14, Van Schyndel teaches the sensor comprising an oscillator circuit (inherent the oscillator includes RC resonance circuit).

As to claim 15, Hinckley as modified by Van Schyndel does not disclose one electrode mounted on the data input device, the second electrode comprising the tracking surface. However. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Hinckley as modified by Van Schyndel to have the electrodes located as claimed (one electrode mounted on the data input device, another electrode provided in user's tracking surface such as stylus), since it has been held that rearranging parts of an invention involves only routine skill in the art. *In re Japikse*, 86 USPQ 70.

As to claim 23, Hinckley teaches the tracking surface is human skin.

As to claims 24-26, Hinckley as modified by Van Schyndel does not disclose the lift-off detection distance is no more than 4 millimeters, or is between about 0.5-4 or 0.5-3 millimeters. However, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify Hinckley as modified by Van Schyndel to have the number of electrodes as claimed, since it has been held that discovering an optimum value of a result effective variable involves only routine skill in the art. *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980).

3. Claims 12, 13 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hinckley and Van Schyndel as applied to claim 10 above, and further in view of Goldfine et al (US 2002/0075006 hereinafter Goldfine).

As to claim 12, Hinckley as modified by Van Schyndel does not disclose the first and second electrodes comprises substantially comb-shaped conductors. However, Fig. 4 of Goldfine teaches the electrodes of the impedance sensor comprising substantially comb-shaped conductors which having digits extending at regular intervals from an edge of each electrode. Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the electrodes of Hinckley as modified by Van Schyndel to have substantially comb-shaped conductors as taught by Goldfine since this structure “allows for improved accuracy in the determination of the properties of solid dielectrics by allowing different depths of penetration to be achieved with the same sensor footprint” (lines 12-16 of [0055] of Goldfine).

As to claim 13, Goldfine teaches the capacitance sensor creates a fringing field as claimed ([0009]-[0093]).

4. Claims 16-22, 29-32, 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hinckley and Van Schyndel as applied to claim 6 above, and further in view of Rabkin (US 2003/0136897).

As to claims 16, 21, 36, Hinckley as modified by Van Schyndel does not disclose the impedance sensor is a resistance sensor or an inductance sensor. However, it is well known in the art that that a proximity sensor comprising a resistance sensor or inductance sensor (see the abstract of Rabkin). Thus, it would have been obvious to one having ordinary skill in the art at the time the invention was made to employ a resistance sensor or a inductance sensor as a proximity sensor in the device of Hinckley as modified by Van Schyndel so as to provide “an

Art Unit: 2629

apparatus and method that employs a sensor to achieve a low cost user input interface that is both cost effective and reliable in all usage situations" ([0007] of Rabkin).

As to claims 17-20, 22, Hinckley as modified by Van Schyndel and Rabkin would have the limitation as claimed.

As to claim 29, note the discussion of claims 1 and 16 above.

As to claims 30-32, Hinckley as modified by Van Schyndel and Rabkin would have the resistance sensor as claimed.

Conclusion


5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

McDonnell et al (US 6,348,862).

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Regina Liang whose telephone number is (571) 272-7693. The examiner can normally be reached on Monday-Friday from 8AM to 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Hjerpe, can be reached on (571) 272-7691. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Regina Liang
Primary Examiner
Art Unit 2674

8/4/06